LAWN MOWER

As modern gardening evolves, intelligent lawn equipment leads a new lifestyle. This remote-controlled lawn mower stands out as your premium garden companion, freeing you from strenuous manual work with flexible wireless control.
Powerful performance ensures neat, uniform trimming. It easily adapts to diverse terrains and boosts working efficiency greatly.
Ergonomic remote operation avoids fatigue. Safe and practical, it redefines lawn care. Embrace smart gardening trends, and enjoy a relaxed, elegant outdoor life ahead.

PRODUCT FEATURES

01

EASY TO OPERATE & MANEUVER:

Intuitive remote control guides the mower precisely.
It navigates uneven lawns and obstacles with ease.

02

CLEAN & EVEN CUT:

Sharp blades deliver smooth, consistent trimming.
Leaves your lawn neat and evenly groomed.

03

DURABLE & WEATHER-RESISTANT:

Built with tough, impact-resistant materials. Reliable performance in all weather conditions.

04

SAFE & LOW-EFFORT:

Wireless control keeps you away from debris and fumes. No heavy pushing, just effortless lawn care.

05

LOW MAINTENANCE & RELIABLE:

Robust build requires minimal upkeep. Saves time and reduces long-term costs.

SLLM 800

TECHNICAL PARAMETERS

SPECIFICATION		
Cutting Height	550	(mm)
Grass Remaining Height	10mm-180mm (Adjustable)	
Power Source	Gas-Electric Hybrid	
Drive Power	1000w*2	
Chassis Lifting Power	50w*2	
Starting Method	Manual / Electric Start (Optional)	
Track Model	100/60/32	
Remote Control Distance	200	(m)
Travel Speed	0-4	(km/h)
Overall Dimensions	930*940*550	(mm)
Package Dimensions	1000*980*600	(mm)
Battery Brand / Quantity	Tianneng Battery*2	
Max Climbing Angle	50°	
Track Type	Engineering Rubber Track	
Remote Features	Cruise Control	
Engine Brand	Runtong Gasoline Engine	
Engine Model	196/225 (Optional)	
Stroke	4-Stroke	
Machine Weight	156	(kg)

DETAIL DISPLAY



Rubber Track System

Dozer Blade Attachment

Remote Control Unit

SL 600Y

TECHNICAL PARAMETERS

SPECIFICATION		
Dimensions	940*940*560	(mm)
Overall weight	163	(kg)
Cutting width	500	(mm)
Remote control distance	200m	(m)
Voltage and electrical capacity	24V24AH	
Climbing angle	45°	(mm)
Power	9	(hp)
Mowing efficiency	1500	(m^2/h)
Package size	990*990*730	(mm)
Package weight	200	(kg)
Cutting height	20-150	(mm)
Walking speed	4	(km/h)
Start mode	manual/remote control	
Power generation method	self generation	

DETAIL DISPLAY

Rubber Track System

Dozer Blade Attachment

Remote Control Unit